Student: Date: Time:	Instructor: Josh Ducey Program: 199E: Precalculus/Algebra Gateway Test Bank: MyMathTest: Basic Algebra,	<b>Assignment:</b> Qualifier 2: Functions and Graphs
	Precalculus and Calculus	
1.	Find the difference quotient of f; that is, find $\frac{f(x+h) - f(x)}{h}$ Be sure to fully simplify. $f(x) = \sqrt{14x}$	$h_{+}$ , $h \neq 0$ , for the following function.
	$\frac{f(x+h) - f(x)}{h} = $ (Simplify your answer.)	
2.	Find the difference quotient of f; that is, find $\frac{f(x+h) - f(x)}{h}$	$h \neq 0$ , for the following function.

Be sure to simplify.  $\frac{f(x) = x^2 - 6x + 8}{\frac{f(x+h) - f(x)}{h}} =$ (Simplify your answer.)

**Instructor:** Josh Ducey


Assignment: Qualifier 2: Functions and


Graphs

Program: 199E: Precalculus/Algebra Gateway

Test Bank: MyMathTest: Basic Algebra,


Precalculus and Calculus





- **b.** the function's range
- c. the x-intercepts, if any
- d. the y-intercept, if any
- e. the function values, f(-1) and f(4).

Assume that the graph of the function continues its trend beyond the displayed coordinate grid.



a. What is the function's domain?

(Type your answer in interval notation.)

**b.** What is the function's range?

(Type your answer in interval notation.)

c. Find the x-intercept(s), if there are any. Select the correct choice below and fill in any answer boxes within your choice.

(Type an integer. Use a comma to separate answers as needed.)

OB. There is no x-intercept.

d. Find the y-intercept(s), if there are any. Select the correct choice below and fill in any answer boxes within your choice.

(Type an integer. Use a comma to separate answers as needed.)

OB. There is no y-intercept.

e. Find the values of the function.

$$f(-1) =$$

$$f(4) = \square$$

Student:	Instructor: Josh Ducey	Assignment: Qualifier 2: Functions and
Date:	Program: 199E: Precalculus/Algebra	Graphs
Time:	Gateway	-
	Test Bank: MyMathTest: Basic Algebra,	
	Precalculus and Calculus	

4. Graph the rational function. Answer parts 1. through 6. below.

$$f(x) = \frac{x^2 + x - 2}{x^2 - 16}$$

- 1. Select the symmetry of the function.
- The function is symmetric about the y-axis.
- The function is symmetric about the origin.
- The function has no symmetry about the y-axis or the origin.
- 2. Find the y-intercept. Select the correct choice below and fill in any answer boxes within your choice.
- OA. The y-intercept is . (Type an integer or a simplified fraction.)
- OB. There is no y-intercept.
- **3.** Find any x-intercepts. Select the correct choice below and fill in any answer boxes within your choice.
- OB. There are no x-intercepts.
- **4.** What are the x-coordinates of the vertical asymptote(s)? Select the correct choice below and fill in any answer boxes within your choice.
- OA. x = (Use a comma to separate answers as needed.)
- OB. There are no vertical asymptotes.
- **5.** What is the y-coordinate of the horizontal asymptote? Select the correct choice below and fill in any answer boxes within your choice.

Student: Date:

Instructor: Josh Ducey

Assignment: Qualifier 2: Functions and

Graphs

Time:

Program: 199E: Precalculus/Algebra Gateway

Test Bank: MyMathTest: Basic Algebra, Precalculus and Calculus

4.

(cont.)

OA. y =

OB. There is no horizontal asymptote.

**6.** Using the information determined above, select the graph of the rational function.

OA.



OB.



Oc.



OD.



Find the average rate of change of the function  $f(x) = x^2 + 7x$  from  $x_1 = 1$  to  $x_2 = 5$ . 5.

The average rate of change is

Studer	ıt:	
Date:		
Time:		

**Instructor:** Josh Ducey

Assignment: Qualifier 2: Functions and

Graphs

Program: 199E: Precalculus/Algebra

Gateway


Test Bank: MyMathTest: Basic Algebra,


Precalculus and Calculus


- 6. Given the function  $f(x) = \sqrt{x-8}$ ,
  - (a) Find  $f^{-1}(x)$ .
  - (b) Graph f and  $f^{-1}$  in the same rectangular coordinate system.
  - (c) Use interval notation to give the domain and the range of f and  $f^{-1}$ .
  - (a) Find  $f^{-1}(x)$ .


$$f^{-1}(x) =$$
;  $x \ge$ 

**b)** Choose the correct graph which shows f and  $f^{-1}$  graphed in the same coordinate system.









(c) State the domain and range of f and  $f^{-1}$  using interval notation.

Domain of  $f = Range of f^{-1} = \square$ 

Range of  $f = Domain of f^{-1} =$ 

7. The function  $f(x) = \frac{5x+4}{x-7}$  is one-to-one.

Find an equation for  $f^{-1}(x)$ , the inverse function.

$$f^{-1}(x) =$$

(Simplify your answer. Use integers or fractions for any numbers in the expression.)

Student: Date: Time:

Instructor: Josh Ducey

Assignment: Qualifier 2: Functions and Graphs

Program: 199E: Precalculus/Algebra

Gateway

Test Bank: MyMathTest: Basic Algebra,

Precalculus and Calculus

Evaluate the function  $f(x) = x^2 - 2x + 1$  at the given values of the independent variable and 8. simplify.

- **a.** f(-3) **b.** f(x+8) **c.** f(-x)

**a.** 
$$f(-3) =$$

**b.** 
$$f(x+8) =$$


**c.** 
$$f(-x) =$$

Use transformations of  $f(x) = x^2$  to graph the 9. following function.

$$g(x) = (x+5)^2 - 1$$

Use the graphing tool to graph the function.







Student: Date: Time:	Instructor: Josh Ducey Program: 199E: Precalculus/Algebra Gateway	<b>Assignment:</b> Qualifier 2: Functions and Graphs
	<b>Test Bank:</b> MyMathTest: Basic Algebra, Precalculus and Calculus	

