231 Quiz 2.

January 27, 2011

Name ____

By printing my name I pledge to uphold the Honor Code.

Work individually. You may use your Notebooks but no loose papers, printouts, photocopies, books, calculators, cell phones, or other resources.

True/False party!

- **T** F For all $x \in \mathbb{R}$, there exists some $y \in \mathbb{R}$ such that $x = y^2$.
- **T** F For all $y \in \mathbb{R}$, there exists some $x \in \mathbb{R}$ such that $x = y^2$.
- **T F** If f(x) has a global max at x = c then $f(c) \ge f(x)$ for all $x \in \text{dom}(f(x))$.
- **T F** If g(x) is a function then we can write f(x) = |g(x)| as a piecewise function.
- **T F** For all real numbers x, the quantity |x| is equal to $\sqrt{x^2}$.
- **T F** Every local maximum of f(x) is also a global maximum of f(x).
- **T F** Every constant function is a linear function.
- **T F** Every proportional function is a linear function.
- **T F** Every linear function is a power function.
- **T F** Every power function is a polynomial function.
- **T F** Every polynomial function is a rational function.
- **T F** Suppose f(x) = 3x + 1. For all $a, b \in \mathbb{R}$, if a < b then f(a) < f(b).
- **T F** Suppose f(x) = 3x + 1. For all $a, b \in \mathbb{R}$, if f(a) = f(b) then a = b.
- **T F** Suppose $f(x) = x^2$. For all $a, b \in \mathbb{R}$, if a < b then f(a) < f(b).
- **T F** Suppose $f(x) = x^2$. For all $a, b \in \mathbb{R}$, if f(a) = f(b) then a = b.
- $\mathbf{T} = \mathbf{F}$ A function can have different average rates of change on different intervals.
- ${\bf T} \quad {\bf F} \quad {\rm The \ converse \ of \ an \ implication \ statement \ is \ also \ an \ implication \ statement.}$
- **T F** When A is true and B is false, then the implication $A \Rightarrow B$ is false.
- **T F** When A is false and B is true, then the implication $A \Rightarrow B$ is false.
- **T F** I would like a free point for this problem.